

ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984 and of all other powers enabling him in that behalf, for the purpose of informing road users of the conditions of bus gates and bus lanes in central Colchester in the County of Essex, hereby:-

- authorises the erection at or within 5 metres of the sites shown schematically on the attached plan numbered GT50/045/0025-1 of a traffic sign (hereinafter referred to as "the authorised sign A") conforming as to size, colour and character with that referenced "Sign A" on the attached drawing numbered GT50/045/0025-2; and
- authorises the erection at or within 5 metres of the sites shown schematically on the said plan of a traffic sign consisting of a plate (hereinafter referred to as "the authorised plate A") conforming as to size, colour and character with that referenced "Plate A" on the said drawing; and
- authorises the erection at or within 5 metres of the site shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign B") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/045/0025-3; and
- authorises the erection at or within 5 metres of the site shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign C") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/045/0025-4; and
- authorises the erection at or within 5 metres of the site shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign D") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/045/0025-5; and



- authorises the erection at or within 5 metres of the site shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign E") conforming as to size, colour and character with that referenced "TSRGD 2118 Variant" on the attached drawing numbered GT50/045/0025-6; and
- 7. authorises the erection at or within 5 metres of the site shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign F") conforming as to size, colour and character with that referenced "2119 Variant" on the attached drawing numbered GT50/045/0025-7; and
- authorises the erection at or within 5 metres of the sites shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign G") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/045/0025-8; and
- authorises the erection at or within 5 metres of the site shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign H") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/045/0025-9; and
- 10. authorises the erection at or within 5 metres of the sites shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign J") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/045/0025-10; and
- 11. authorises the erection at or within 5 metres of the site shown schematically on the said plan of a traffic sign (hereinafter referred to as "the authorised sign K") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/045/0025-11; and
- 12. directs that the authorised sign A shall be used with authorised plate A; and



- 13. directs that it is a condition of this authorisation that the authorised signs A, B, C, G, J and K and the authorised plate A may be placed only to indicate the effect of a corresponding Traffic Regulation Order; and
- 14. directs that, notwithstanding the provisions of Direction 18(3) of the Traffic Signs General Directions 2002 (Part II of SI 2002/3113, "the 2002 Directions"), the authorised signs B and G may be used with the road marking to diagram 1010 in Schedule 6 to the Traffic Signs Regulations 2002 (Part I of SI 2002/3113, "the 2002 Regulations"); and
- 15. directs that, notwithstanding the provisions of Direction 18(3) of the 2002 Directions, the authorised signs B, C, G, J, and K shall be used with the road markings to diagram 1048 and diagram 1049 in Schedule 6 to the 2002 Regulations; and
- 16. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the erection of the authorised signs A, B, C, D, E, F, G, J and K and the authorised plate A at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised sign signs A, B, C, D E, F, G, J and K and the authorised plate A and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign A in the same manner as they apply to the sign to diagram 953 in Schedule 5 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised signs B, C, G, J and K in the same manner as they apply to the sign to diagram 958 in Schedule 5 to those Regulations.



The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised signs D, E and F in the same manner as they apply to the sign to diagram 2108 in Schedule 5 to those Regulations.

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign H in the same manner as they apply to the sign to diagram 2103 in Schedule 5 to those Regulations.

The provisions of Regulations 12 and 20 of the 2002 Regulations shall apply to the authorised plate A in the same manner as they apply to the plate shown in diagram 953.2 when used in conjunction with the sign to diagram 953 in Schedule 5 to those Regulations.

This authorisation replaces the earlier one dated 2 November 2012 under reference GT50/045/0018 which is hereby revoked.


Dated 21 Mark 2014

Signed by authority of the Secretary of State



A Delegated Official of the Department for Transport





Date: 13 March 2014

No. GT50/045/0025-2

NOTES:

- Do not scale.
- Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.



Sign A

Scheme Ref. Colchester Town Centre S	Strategy
Sign Ref. TSRGD NP953	x-height N/A
Letter colour WHITE	SIGN FACE
Background BLUE	Width 750mm
Border WHITE	Height 750mm
Material Class RA2 (12899-1:2007)	Area 0.44sq.m

and authorised Plate A vehicles

Scheme Ref. Colchester Town Centre Strategy						
Sign Ref.	TSRGD	NP953.2	Variant	x-height	50.0	
Letter colour	BLACK			SIGN FAC	CE	
Background	WHITE			Width	610mm	
Border	BLACK			Height	390mm	
Material Clas	ss RA2	(12899-1	: 2007)	Area	0.24sq.m	



DETAILED DESIGN

NP953 & NP953.2 Variant

COLCHESTER TOWN CENTRE STRATEGY

1	DRAV	VING STATUS						
		FOR DfT APPROVAL						
ı								
ı	REV.	DATE	AMENDMENT DESCRIPTION		DRAWN	CHECKED		
ı								
ı								
ı								
	Α	03.01.14	Minor amendment		KJH	RDM		
ı	DRAWING UNITS U.N.O. SCALE AT A4 (2)		
1	DIMENSIONS IN MILLIMETRES				N/A			

Mark Rowe, Service Director, Essex Highways County Hall, Chelmsford. CM1 1QH Tel: 0845 6037631

Ringway Jacobs working in partnership with

© Essex County Counci

KMB 14.06.12

N/A

N/A

KMB 14.06.12

RDM 17.08.12

PM 17.08.12

DfT-01

Date: 13 March 2014

No. GT50/045/0025-3

NOTES:

- Do not scale.
- 2. Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. Colchester Town Centre Strategy						
Sign Ref. TSRGD NP958A Var&961	x-height 50.0					
Letter colour WHITE	SIGN FACE					
Background BLUE	Width 825mm					
Border WHITE	Height 1355mm					
Material Class RA2 (12899-1:2007)	Area 1.12sq.m					



Date: 13 March 2014

No. GT50/045/0025-4

NOTES:

- Do not scale.
- 2. Speed limit on road is 30mph.
- 3. Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. (Strategy		
Sign Ref. 1	TSRGD NP960 Variant	x-height	50.0
Letter colour V	WHITE	SIGN FACE	
Background E	BLUE	Width 8	340mm
Border V	WHITE	Height 9	960mm
Material Class	RA2 (12899-1:2007)	Area (0.80sq.m



Date: 13 March 2014

No. GT50/045/0025-5

NOTES:

- Do not scale.
- 2. Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. Colchester Town Centre	Strategy
Sign Ref. TSRGD 2106.1 Variant	x-height 75.0
Letter colour BLACK	SIGN FACE
Background WHITE	Width 1090mm
Border BLACK	Height 1795mm
Material Class RA2 (12899-1:2007)	Area 1.95sq.m




Date: 13 March 2014

No. GT50/045/0025-7

NOTES:

- 1. Do not scale.
- 2. Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. Colchester Town Centre Strategy			
Sign Ref. TSRGD 2119 Variant	x—height 75.0		
Letter colour BLACK	SIGN FACE		
Background WHITE	Width 1115mm		
Border BLACK	Height 1655mm		
Material Class RA2 (12899-1:2007	') Area 1.84sq.m		



EXISTING SIGN



Mark Rowe, Service Director, Essex Highways County Hall, Chelmsford. CM1 1QH Tel: 0845 6037631 RAWING TITLE

COLCHESTER TOWN CENTRE STRATEGY DETAILED DESIGN


	 iant with 953.2 vari		&
DESIGNED	DRAWN	CHECKED	

DRAWING STATUS						
FOR DfT APPROVAL						
REV.	DATE	AMENDMENT DESCRIPTION	ı	DRAWN	CHECKED	
В	03.01.14	1.14 Minor amendment			RDM	
A 20.08.12 slight amendment to regulatory panel					RDM	
DRAWING UNITS U.N.O. SCALE AT A4 ()	
DIMENSIONS IN MILLIMETES N						

N/A DESIGNED KMB KMB CHECKED RDM PM DIMENSIONS IN MILLIMETRES N/A

DATE DATE 14.06.12 DATE 17.08.12 DATE 17.08.12 DATE REV. B

- Do not scale.
- Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. Colchester Town Centre Strategy				
Sign Ref. TSRGD 2118 Variant	x-height 100.0			
Letter colour BLACK	SIGN FACE			
Background WHITE	Width 2060mm			
Border BLACK	Height 2775mm			
Material Class RA2 (12899-1:2007)	Area 5.72sq.m			



EXISTING SIGN

Department for Transport

Date: 13 March 2014

No. GT50/045/0025-6



N/A

14.06.12

Ringway Jacobs working in partnership with

Mark Rowe, Service Director, Essex Highways County Hall, Chelmsford. CM1 1QH Tel: 0845 6037631

COLCHESTER TOWN CENTRE STRATEGY DETAILED DESIGN

_	Variant wi NP953.2 v		&
DECICNED	DDAMAI	CHECKED	-

				_	_	
					03.01.	
2118 Variant with NP953 &						
NP953.2 variant					20.08.	
				DRAV	VING UNIT	
DESIGNED KMB	KMB	RDM	AUTHORISED PM	DII	MENS	

FOR DfT APPROVAL					
REV.	DATE	AMENDMENT DESCRIPTION DRAWN CH		CHECKED	
О	03.01.14	Minor amendment		KJH	RDM
В	09.10.12	Sign redesigned		KMB	PM
Α	20.08.12	Amendment to destination order		KMB	RDM
DRAWING UNITS U.N.O.		SCALE AT A4 (210x297mm)			
DIMENSIONS IN AUTHORED				1//	

SIONS IN MILLIMETRES N/A С 14.06.12 17.08.12 17.08.12 **DfT-05**

- 1. Do not scale.
- 2. Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. Colchester Town Centre Strategy		
Sign Ref. TSRGD NP958A variant	x-height 50.0	
Letter colour WHITE	SIGN FACE	
Background BLUE	Width 825mm	
Border WHITE	Height 1180mm	
Material Class RA2 (12899-1:2007)	Area 0.97sq.m	

Department for Transport

Date: 13 March 2014

No. GT50/045/0025-8

FOR DfT APPROVAL **Essex COLCHESTER TOWN CENTRE STRATEGY DETAILED DESIGN** REV. DATE AMENDMENT DESCRIPTION Highways NP958A variant A 03.01.14 Minor amendment KJH RDN Ringway Jacobs working in partnership with **DIMENSIONS IN MILLIMETRES** N/A N/A KMB KMB RDMPMMark Rowe, Service Director, Essex Highways County Hall, Chelmsford. CM1 1QH Tel: 0845 6037631 N/A 09.10.12 09.10.12 12.10.12 12.10.12 **DfT-07**

- Do not scale.
- Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. Colchester Town Centre S	Strategy
Sign Ref. TSRGD 2106.1 variant	x—height 75.0
Letter colour BLACK	SIGN FACE
Background WHITE	Width 1035mm
Border BLACK	Height 1475mm
Material Class RA2 (12899-1:2007)	Area 1.53sq.m

Department for Transport

Date: 13 March 2014

No. GT50/045/0025-9



COLCHESTER TOWN CENTRE STRATEGY DETAILED DESIGN

2106.1 Variant with NP953 & NP953.2 variant

KMB

09.10.12

RDM

12.10.12

PM

12.10.12

D. 0.0	TINO 110.	DfT-08			Α
DRAV	VING No		•	REV	
DII	MENSI	ONS IN MILLIMETRES	١	I/A	
DRAWING UNITS U.N.O. SCALE AT A4 (2		10x297mm)			
Α	03.01.14	Minor amendment		KJH	RDN

FOR DfT APPROVAL

AMENDMENT DESCRIPTION

Ringway Jacobs working in partnership with

Highways

Mark Rowe, Service Director, Essex Highways County Hall, Chelmsford. CM1 1QH Tel: 0845 6037631

N/A

N/A

KMB

09.10.12

- Do not scale.
- 2. Speed limit on road is 30mph.
- Sign reference prefix "NP" denotes non-prescribed sign.




Scheme Ref. Colchester Town Centre Strategy			
Sign Ref. TSRGD NP959A Variant	x-height 50.0		
Letter colour WHITE	SIGN FACE		
Background BLUE	Width 825mm		
Border WHITE	Height 775mm		
Material Class RA2 (12899-1:2007)	Area 0.64sq.m		

Department for Transport

Date: 13 March 2014

No. GT50/045/0025-10



- Do not scale.
- 2. Speed limit on road is 30mph.
- 3. Sign reference prefix "NP" denotes non-prescribed sign.



Scheme Ref. Colchester Town Centre Strategy			
Sign Ref. TSRGD NP959A Var&961	x-height 50.0		
Letter colour WHITE	SIGN FACE		
Background BLUE	Width 825mm		
Border WHITE	Height 950mm		
Material Class RA2 (12899-1:2007)	Area 0.78sq.m		

Department for Transport

Date: 13 March 2014

No. GT50/045/0025-11

