

GT50/64/0008

ROAD TRAFFIC REGULATION ACT 1984 – SECTIONS 64 AND 65 AUTHORISATION OF TRAFFIC SIGNS AND SPECIAL DIRECTIONS

The Secretary of State for Transport, in exercise of his powers under Sections 64 and 65 of the Road Traffic Regulation Act 1984 and of all other powers enabling him in that behalf, for the purpose of informing road users of parking conditions in the Moorgate area, Lancashire, hereby:-

- authorises the erection at or within 5 metres of the sites marked with a green cross on the attached plan numbered GT50/64/0008-1 of a traffic sign (hereinafter referred to as "the authorised sign") conforming as to size, colour and character with that shown on the attached drawing numbered GT50/64/0008-2; and
- directs, that it is a condition of this authorisation that the authorised sign may only be placed to indicate the effect of a corresponding Traffic Regulation Order; and
- 3. directs, without prejudice to any statutory provision to the like effect, that it is a condition of this authorisation that the placing of the authorised sign at or near the said sites shall continue to have effect only until such day as may be appointed by one month's notice given by the Secretary of State in writing to the traffic authority for the removal or alteration of the authorised sign and on that day the said authorisation shall, without prejudice to the giving of any further authorisation or direction, cease to have effect.



GT50/64/0008

The provisions of Regulations 12, 18 and 19 of the 2002 Regulations shall apply to the authorised sign in the same manner as they apply to the sign shown in diagram 660.6 in Schedule 2 to those Regulations.

Dated B April Signed by authority of the Secretary of State









Scale 1:4 Dimensions (in mm): Width: 380, Height: 610 x-Heights: 20, 23 Area: 0.23 sq m

Colours: black on white white on black

Material: BS EN 12899-1:2007 class: RA2

Proposed sign for Special Authorisation

Structure Details: 1 no. Steel circular section S275: 60.3mm O.D. 3mm thick Support length: 3210 mm Passively safe to BS EN 12767:2007 BS EN 12899-1:2007 classes: WL5, TDB5, PL3, PAF1

Single spread foundation to BS EN 1997-1: Soil type: average (bearing pressure: 100 kN/m²) Height of footing: 600 mm Width of footing: 600 mm Length of footing: 700 mm

Date printed: 25-01-11

Department for Transport Date 11/1/11 NO 9750/64/0008-2



SignPlot v2.50

Lancashire County Council